



- |      |                         |                              |
|------|-------------------------|------------------------------|
| TM   | Motorino timer          | Timer motor                  |
| IF   | Filtro antidisturbo     | Interference filter          |
| DPM  | Elettropompa            | Drain pump motor             |
| MS   | Micro porta             | Door Micro switch            |
| FM   | Ventola motorizzata     | Fan motor                    |
| WA   | Allarme acqua           | Water alarm switch           |
| RWA  | Reset allarme acqua     | Reset water alarm            |
| RE   | Relè                    | Relay                        |
| AS   | Pulsante On - Off       | ON - OFF button              |
| TH   | Termostato fisso        | Klixon                       |
| M    | Motore                  | Main motor                   |
| DHE  | Resistenza Asciugatura  | Drying Element               |
| C    | Condensatore            | Capacitor                    |
| SD   | Asciugatura delicata    | Soft dry                     |
| WL   | Micro per troppo pieno  | Water level microswitch      |
| GPL1 | Lampada on/off          | On/off pilot lamp            |
| GPL2 | Lampada cestello        | Drum light                   |
| GPL3 | Lampada 1/2 asciugatura | Delicate dry pilot lamp      |
| GPL4 | Lampada Reset           | Reset water alarm pilot lamp |

<b>Antonio Merloni</b> spa Denominazione CABLAS 3P 1M QVY 9203 ASEC 220-240V 50Hz 1V.		UFFICIO TECNICO - via Dante, 284 Fabriano (AN) - Italy Tel. 0732/6901 - Telefax 0732/627880		Derivato <b>556000300</b>
		Disegnato <b>F. Fava</b>	Controllato Data 31-08-98	Assieme <b>566000300</b>
Codice: <b>460600550</b>		Disegno: <b>A0101200</b>	Note	
A termine di legge ci riserviamo la proprieta' di questo con divieto di uso e riproduzione			Progetto: <b>0000</b>	

# DRYING WARM AIR

TIMER REMCO 9203  
CONDENSATION-TYPE  
TUMBLE DRYER

NORMAL PROGRAM			HEATING + MOVEMENT	COOLING	Stop
HUMIDITY 0%	HEATING ELEMENT	A	8 min.		
	HEATING ELEMENT	B			
HUMIDITY 6%	HEATING ELEMENT	A	8 min.		
	HEATING ELEMENT	B			
HUMIDITY 10%	HEATING ELEMENT	A	10 min.		
	HEATING ELEMENT	B			
HUMIDITY 20%	HEATING ELEMENT	A	12 min.		
	HEATING ELEMENT	B			
DELICATE PROGRAM					
HUMIDITY 0%	HEATING ELEMENT	A	8 min.		
	HEATING ELEMENT	B			
HUMIDITY 6%	HEATING ELEMENT	A	8 min.		
	HEATING ELEMENT	B			
HUMIDITY 10%	HEATING ELEMENT	A	10 min.		
	HEATING ELEMENT	B			
HUMIDITY 20%	HEATING ELEMENT	A	12 min.		
	HEATING ELEMENT	B			
TIME PROGRAM					
60'	HEATING ELEMENT	A	10 min.		
	HEATING ELEMENT	B			
40'	HEATING ELEMENT	A	10 min.		
	HEATING ELEMENT	B			
20'	HEATING ELEMENT	A	10 min.		
	HEATING ELEMENT	B			
DRYING MOTOR					

1" PAUSE

3 REVERSE MOTOR	RIGHT	30"		180"	
	LEFT	30"		180"	